



## WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [www.fogdigitalmarketing.com](http://www.fogdigitalmarketing.com) | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.fogdigitalmarketing.com** as of Mon Dec 05 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	11	0	100%

### Code snapshots of some successful elements

```
<a href="#" title="Digital Marketing Blog" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >BLOG</a>
```

```
<div class="tp-leftarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, 0, -30); left: 0px;" tabindex="0" role="button"><span data-acsb-menu-root-link="true" " aria-label=" Previous " aria-hidden="false" >Previous</span></div>
```

```
<div class="tp-rightarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, -60, -30); left: 100%;" tabindex="0" role="button"><span data-acsb-menu-root-link="true" " aria-label=" Next " aria-hidden="false" >Next</span></div>
```

```
<button class="theme-btn btn-style-seven " type="submit" name="submit-form" role="button">SEND</button>
```

```
<a href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >Web Apps</a>
```

```
<a href="#" title="San Antonio Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" class="" >San Antonio</a>
```

```
<a href="#" title="Houston Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >Houston</a>
```

```
<a href="#" title="Austin Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >Austin</a>
```

```
<a href="#" title="Dallas Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >Dallas</a>
```

```
<a href="#" title="El Paso Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">El Paso</a>
```

- 2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

11

0

100%

### Code snapshots of some successful elements

```
<a href="#" title="Digital Marketing Blog" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">BLOG</a>
```

```
<div class="tp-leftarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, 0, -30); left: 0px;" tabindex="0" role="button"><span data-aria="true" " aria-label=" Previous " aria-hidden="false" >Previous</span></div>
```

```
<div class="tp-rightarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, -60, -30); left: 100%;" tabindex="0" role="button"><span data-aria="true" " aria-label=" Next " aria-hidden="false" >Next</span></div>
```

```
<button class="theme-btn btn-style-seven " type="submit" name="submit-form" role="button">SEND</button>
```

```
<a href="#" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Web Apps</a>
```

```
<a href="#" title="San Antonio Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" class="" ">San Antonio</a>
```

```
<a href="#" title="Houston Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Houston</a>
```

```
<a href="#" title="Austin Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Austin</a>
```

```
<a href="#" title="Dallas Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">Dallas</a>
```

```
<a href="#" title="El Paso Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" ">El Paso</a>
```

---

3	<a href="#">Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.</a>	Yes	33	0	100%
---	---	-----	----	---	------

### Code snapshots of some successful elements

```
<a href="/" ><span data-="" true" " aria-label=" Go back home " aria-hidden="false" >Go back home</span>Start a project</a>
```

```
<a href="projects/" title="Check out our projects" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >PROJECTS</a>
```

```
<a href="/digital-marketing-services/" title="San Antonio Digital Marketing Services" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" >SERVICES</a>
```

```
<a href="/about-us/" title="About FOG Digital Marketing" data-acsb-menu="a" data-acsb-menu-root-link="true" >ABOUT US</a>
```

```
<a href="/testimonials/" title="Customers Testimonials" data-acsb-menu="a" data-acsb-menu-root-link="true" >TESTIMONIALS</a>
```

```
<a href="/contact-us/" title="Contact us today!" data-acsb-menu="a" data-acsb-menu-root-link="true" >CONTACT US</a>
```

```
<a href="/start-a-project/" class="theme-btn btn-style-five " style="transition: none 0s ease 0s; text-align: inherit; line-height: 24px; border-width: 2px; margin: 0px; padding: 11px 38px; letter-spacing: 1px; font-weight: 600; font-size: 15px;" >...
```

```
<a href="projects/" >Branding, Photos, Videos</a>
```

```
<a href="projects/" class="read-more " title="View our Graphic Design Gallery" >Visit our gallery.</a>
```

- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

7

0

100%

#### Code snapshots of some successful elements

```
<a href="https://www.expertise.com/" target="_blank" data-acsb-tooltip="Find us on Expertise.com | New Window" ><span data-="true" " aria-label="Find us on Expertise.com " aria-hidden="false" >Find us on Expertise.comNew Window</span><span data-="true" " aria-label=" New Window " aria-hidden="false" >New Wi...
```

```
<a href="https://www.facebook.com/FOGConsulting/" target="_blank" data-acsb-tooltip="Follow us on Facebook | New Window" ><span data-="true" " aria-label=" Follow us on Facebook " aria-hidden="false" >Follow us on FacebookNew Window</span><span cl...
```

```
<a href="https://twitter.com/fogconsulting" target="_blank" data-acsb-tooltip="Follow us on Twitter | New Window" ><span data-="true" " aria-label=" Follow us on Twitter " aria-hidden="false" >Follow us on TwitterNew Window</span><span class="fa f...
```

```
<a href="https://www.instagram.com/fogdigitalmarketing/" target="_blank" data-acsb-tooltip="Follow us on Instagram | New Window" ><span data-="true" " aria-label=" Follow us on Instagram " aria-hidden="false" >Follow us on InstagramNew Window</span>
```

```
<a href="https://www.linkedin.com/company/fogdigitalmarketing" target="_blank" data-acsb-tooltip="Follow us on LinkedIn | New Window" ><span data-="true" " aria-label=" Follow us on LinkedIn " aria-hidden="false" >Follow us on LinkedInNew Window</...>
```

```
<a href="https://g.page/r/CU_2050DjZv4EBA" target="_blank" data-acsb-tooltip="Check us out on Google | New Window" ><span data-="true" " aria-label=" Check us out on Google " aria-hidden="false" >Check us out on GoogleNew Window</span><span class=...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<h1 >San Antonio Web Design, Search Engine Optimization, Branding & Social Media </h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	18	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
---	--	----	---	---	---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or	Yes	2	0	100%
---	--	-----	---	---	------

## Code snapshots of some successful elements

```
<div class="tp-leftarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, 0, -30); left: 0px;" tabindex="0" role="button"><span data-a="true" " aria-label=" Previous " aria-hidden="false" >Previous</span></div>
```

```
<div class="tp-rightarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, -60, -30); left: 100%;" tabindex="0" role="button"><span data-a="true" " aria-label=" Next " aria-hidden="false" >Next</span></div>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, "	No	0	0	-

have it dynamically changed to 0 when they become visible.

---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	4	0	100%
----	--	-----	---	---	------

#### Code snapshots of some successful elements

```
<nav class="main-menu" role="presentation"> <div class="navbar-header" aria-hidden="true" > <button type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-collapse" name="Menu" tabindex="-1" > <span class="icon-bar" aria...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" >Home</a></li> <li data-acsb-menu="li" data-acsb-menu-root="true"><...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="/services/website-design/" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" >Website Design</a></li> <li data-acsb-menu...
```

```
<ul data-acsb-menu="ul" > <li data-acsb-menu="li" data-acsb-menu-root="true"><a href="#" title="San Antonio Digital Marketing" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" data-acsb-tooltip="Use </> to navigate" class=" ">San A...
```

---

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Code snapshots of some successful elements

```
<a href="/digital-marketing-services/" title="San Antonio Digital Marketing Services" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" >SERVICES</a>
```

---



include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

### Code snapshots of some successful elements

```
<a href="/digital-marketing-services/" title="San Antonio Digital Marketing Services" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" >SERVICES</a>
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	10	0	100%
----	--	-----	----	---	------

### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

```

---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---

---

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	96	0	100%
----	---	-----	----	---	------

### Code snapshots of some successful elements

```
<span class="icon-bar" aria-hidden="true" data-acsb-force-hidden="true" >
</span>
```

```
<span class="fa fa-angle-down" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon flaticon-telephone-handle-silhouette" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon flaticon-ruler " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon flaticon-application-development " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon flaticon-line-chart " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon fa fa-link " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="icon fa fa-search " aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="fa fa-angle-left" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="fa fa-angle-right" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	3	0	100%

### Code snapshots of some successful elements

```
<input type="text" name="name" placeholder="Name*" required="true" aria-hidden="false" data-acsb-validation-uuid="apf8wske6i5" data-acsb-field-visible="true" aria-required="true" aria-invalid="true" aria-label="Name*" data-acsb-tooltip="Required f...
```

```
<input type="email" name="email" placeholder="Email Address*" required="true" aria-hidden="false" data-acsb-validation-uuid="agrmgvboxsdt" data-acsb-field-visible="true" aria-required="true" aria-invalid="true" aria-label="Email Address*" data-ac...
```

```
<textarea name="message" placeholder="Describe your project*" aria-hidden="false" type="textarea" data-acsb-validation-uuid="ai85qx05vfz" data-acsb-field-visible="true" aria-required="true" required="true" aria-invalid="true" aria-label="Describe ...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0	-
29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<form action="/assets/quote.php" enctype="multipart/form-data" method="post" onsubmit="if (!window.__cfRLUnblockHandlers) return false; return validateForm()" name="contacto" data-acsb-form-uuid="ay6fcottkvsi" data-acsb-form-type="standard"> <div cla...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<title>San Antonio Website Design, SEO, Branding & Social Media</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Code snapshots of some successful elements

```
<html class="acsb-light-contrast" id="acsb-light-contrast" lang="en-US"><head><base href="https://www.fogdigitalmarketing.com"><meta name="aceWebsite" content="www.fogdigitalmarketing.com"><meta name="aceClient" content="true"><meta name="aceEmbedder...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or	Yes	Pass	-	100%
----	---	-----	------	---	------

## Code snapshots of some successful elements

```
<meta name="viewport" content="width=1040">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

## Code snapshots of some successful elements

```
<div class="sec-title-two" data-acsb-main="true" role="main"> <div class="title ">About us</div> <h1 >San Antonio Web Design, Search Engine Optimization, Branding & Social Media </h1> <h3 >(Hablamos Español)</h3></div>
```

```
<footer class="footer-style-two alternate acsb-bg-image" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <p align="center"><a href="https://www.expertise.com/" target="_blank" data-acsb-tooltip="Find us on Expertise.com | New Win...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	79	0	100%
----	--	-----	----	---	------

```
<a href="/start-a-project/" class="theme-btn donate-btn btn-style-six " title="Ready to start a project?" >Start a project</a>
```

```
<a href="projects/" title="Check out our projects" data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate" >PROJECTS</a>
```

```
<a href="/digital-marketing-services/" title="San Antonio Digital Marketing Services" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" >SERVICES</a>
```

```
<a href="/about-us/" title="About FOG Digital Marketing" data-acsb-menu="a" data-acsb-menu-root-link="true" >ABOUT US</a>
```

```
<a href="/testimonials/" title="Customers Testimonials" data-acsb-menu="a" data-acsb-menu-root-link="true" >TESTIMONIALS</a>
```

```
<a href="#" title="Digital Marketing Blog" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" class="" >BLOG</a>
```

```
<a href="/contact-us/" title="Contact us today!" data-acsb-menu="a" data-acsb-menu-root-link="true" >CONTACT US</a>
```

```
<h3 >We Design Eye-catching <br > Websites That Sell</h3>
```

```
<a href="/start-a-project/" class="theme-btn btn-style-five " style="transition: none 0s ease 0s; text-align: inherit; line-height: 24px; border-width: 2px; margin: 0px; padding: 11px 38px; letter-spacing: 1px; font-weight: 600; font-size: 15px;" >...
```

```
<div class="count " >01</div>
```

---

38	<a href="#">Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".</a>	No	0	0	-
----	--	----	---	---	---

previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.

### Code snapshots of some successful elements

```
<div class="tp-leftarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, 0, -30); left: 0px;" tabindex="0" role="button"><span data-a-="true" " aria-label=" Previous " aria-hidden="false" >Previous</span></div>
```

```
<div class="tp-rightarrow tparrows metis " style="top: 50%; transform: matrix(1, 0, 0, 1, -60, -30); left: 100%;" tabindex="0" role="button"><span data-a-="true" " aria-label=" Next " aria-hidden="false" >Next</span></div>
```

### Code snapshots of some failed elements

```
<div class="owl-prev " ><span class="fa fa-angle-left" aria-hidden="true" data-acsb-force-hidden="true" ></span></div>
```

```
<div class="owl-next " ><span class="fa fa-angle-right" aria-hidden="true" data-acsb-force-hidden="true" ></span></div>
```

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.

No

0

0

-

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

No

0

11

-

### Code snapshots of some failed elements



```
<div class="owl-dot active " ><span aria-hidden="true" data-acsb-force-hidden="true" ></span></div>
```

```
<div class="owl-dot " ><span aria-hidden="true" data-acsb-force-hidden="true" ></span></div>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-

can adjust some of the UI and the design

(font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.

---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%
----	---	-----	------	---	------

### Code snapshots of some successful elements

```
<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6Lf6fBQUAAAAADNiQqu0IfNubh4QltDrJyDlEo4_&co=aHR0cHM6Ly9hY2Nlc3NzY2FuLmFjY2Vzc2liZS5jb206NDQz&hl=en&v=Km9gKuG06He-isPsP6saG8cn&size=normal&cb=eq...">
```